

IN THE CLAIMS

For the convenience of the Examiner, all pending claims of the Application are reproduced below.

1. **(Withdrawn)** An input device for use with a system operable to process an electronic communication comprising:
 a function button operably associated with selecting a specific electronic communication function; and
 an identification key operable to identify the input device in response to a user selecting the function button.
2. **(Withdrawn)** The device of Claim 1, further comprising memory operable to store the identification key.
3. **(Withdrawn)** The device of Claim 2, wherein the memory may be periodically updated to include a new identification key.
4. **(Withdrawn)** The device of Claim 1, wherein the identification key comprises a user password.
5. **(Withdrawn)** The device of Claim 1, wherein the electronic communication function comprises a send button.
6. **(Withdrawn)** The device of Claim 1, wherein the electronic communication function comprises a forward button.
7. **(Withdrawn)** The device of Claim 1, further comprising a keyboard.
8. **(Withdrawn)** The device of Claim 1, further comprising a pointing device.

9. **(Withdrawn)** The device of Claim 1, further comprising the function button operably associated with selecting an email function.

10. **(Currently Amended)** A method for providing an identifier for processing an electronic communication comprising:

receiving a request via an input device to process the electronic communication, the requested process comprising at least one of a selected forward request, a send request, a save request, a delete request, a reply request and a check request;

determining if the request originated from the input device;

processing the request if the request originated at the input device;

determining an identification key associated with the input device, the identification key uniquely identifying the input device; and

processing the electronic communication using the requested process upon validating the identification key.

11. **(Original)** The method of Claim 10, further comprising:
accessing a portion of memory to determine the identification key;
receiving the identification key from the input device; and
comparing the received identification key to a the stored identification key to determine if the input is valid.

12. **(Original)** The method of Claim 10, further comprising:
receiving the request via a port operably associated with the input device;
receiving the identification key from the input device; and
verifying the request and the identification key.

13. **(Original)** The method of Claim 10, further comprising:
quarantining the electronic communication if the identification key is not valid;
and
notifying a user of the quarantined electronic communication.

14. **(Canceled)**
15. **(Previously Presented)** The method of Claim 10, further comprising:
storing the identification key within a memory associated with the input device.
16. **(Previously Presented)** The method of Claim 10, further comprising:
determining an electronic communication process associated with the input
device; and
associating the request with one or more buttons associated with the input device.
17. **(Original)** The method of Claim 16, further comprising receiving an input from a
user to select the one or more function buttons.
18. **(Original)** The method of Claim 10, further comprising displaying a function
button within a user interface associated with the input device.
19. **(Original)** The method of Claim 10, further comprising associating an encrypted
device identifier within the electronic communication upon processing the electronic
communication.
20. **(Withdrawn)** A system operably associated with processing an electronic
communication in the form of an email comprising:
a processor operable to process the email;
memory operably coupled to the processor; and
an input device operably coupled to the processor, the processor operable to
validate a user request via the input device to process an email.
21. **(Withdrawn)** The system of Claim 20, wherein the input device comprises a
keyboard including a identification key operable to identify a user request via the keyboard to
process the email.

22. **(Withdrawn)** The system of Claim 21, wherein the keyboard comprises memory operable to store the identification key.

23. **(Withdrawn)** The system of Claim 20, further comprising a pointing device including an identification key operable to identify a user request via the pointing device to process the email.

24. **(Withdrawn)** The system of Claim 20, further comprising a graphical user interface operable to display an email software program.

25. **(Currently Amended)** A method for processing an electronic communication in the form of email using a system comprising:

determining an input device operably coupled to the system;

determining if a valid request originated from the input device;

processing the valid request if the input originated at the input device

determining an identification key associated with the input device, the identification key uniquely identifying the input device; and

processing an email upon receiving ~~a valid~~ **the valid** request from the input device to either forward, send, save, delete, reply, or check the email.

26. **(Original)** The method of Claim 25, further comprising:
determining a function button operably associated with the input device; and
receiving an input to process the email via a user selecting the function button.

27. **(Original)** The method of Claim 25, further comprising:
receiving an input from the input device to process the email;
verifying the input device is valid; and
processing the email based on the verification.

28. **(Original)** The method of Claim 27, further comprising processing the email using a function associated with the requested process upon the input device being valid.

29. **(Original)** The method of Claim 28, further comprising associating an encrypted identifier with the email.

30. **(Original)** The method of Claim 28, further comprising:
quarantining the email upon the input device determining the input device is not valid; and
notifying a user of the quarantined email.

31. **(Previously Presented)** An input device for use with a system operable to process an electronic communication comprising:
means for receiving a request via an input device to process an electronic communication;
means for determining an identification key operable to identify the input device, the identification key uniquely identifying the input device; and
means for processing the email using the requested process upon validating the identification key.

32. **(Previously Presented)** The input device of Claim 31, further comprising:
means for accessing a portion of memory to determine the identification key;
means for receiving the identification key from the input device; and
means for comparing the received identification key to a the stored identification key to determine if the input is valid.

33. **(Previously Presented)** The input device of Claim 31, further comprising:
means for receiving a request via a port operably associated with the input device;
means for receiving the identification key from the input device; and
means for verifying the request and the identification key.

34. **(Currently Amended)** A medium including encoded logic for processing electronic communications comprising the logic operable to:

- determine an input device operably coupled to the system;
- determine if a valid request originated from the input device;**
- process the valid request if the input originated at the input device;**
- determine an identification key associated with the input device, the identification key uniquely identifying the input device; and
- process an electronic communication upon receiving ~~a valid~~ **the valid** request from the input device to process the email.

35. **(Original)** The medium as recited in Claim 34, further comprising the logic operable to:

- determine a function button operably associated with the input device; and
- receive an input to process the email via a user selecting the function button.

36. **(Original)** The medium as recited in Claim 35, further comprising the logic operable to:

- receive an input from the input device to process the email;
- verify the input device is valid; and
- process the electronic communication based on the verification.

37. **(Original)** The medium as recited in Claim 35, further comprising the logic operable to process the electronic communication using a function associated with the requested process upon the input device being valid.